

Hand Delivered

MARYLAND DEPARTMENT OF THE ENVIRONMENT

LAND and MATERIALS ADMINISTRATION SOLID WASTE PROGRAM 1800 Washington Boulevard Suite 605 Baltimore Maryland 21230-1719

(410) 537-3315 • 1-800-633-6101 • https:// mde. maryland. gov

Report of Observations		
Inspector(s): Christopher Barlow, Section Head Anna Catherine	AI #:	96927
Type of Inspection/Observations: Routine Inspection	Date:	7/24/2024
Site/Facility Name: Camp Small – Baltimore City Department of Parks & Recreation	Time In:	12:00pm
Location: Cold Spring Lane next to Jones Fall – Baltimore City	Time Out:	1:00pm
Contact(s): Nick Oster, Shaun Preston Inspection Reason: Routine Scheduled Site Status: Active Site Condition: Noncompliance Recommended Action: Continue Routine Inspection Evidence Collected: Visual observations and photos (see pages below) Weather: 85°F Overcast No Precipitation Calm wind Field Conditions: Dry Remarks: I arrived at the facility and checked in at the sawmill office. I observed a stack of logs approx entrance to the facility; some sections are overgrown with foliage. I walked to the area behins scrap tires have either been removed or covered by logs. The wood chips and mulch used to thick or greater near the railroad tracks. Some material has been grinded or removed from th Oster; the open area in the center of the yard is larger indicating the grinding or removal of s both old and new logs comingled in a large pile. Vehicle access around this large log pile is to overgrown pile of soil and logs. Burn marks were observed on multiple dumped logs. I obser yellow, and orange leaves; new material continues to be brought to the property. The silt fen chips from falling into the Jones Falls River is overgrown and compromised; multiple logs we There are two paths that serve as fire lanes between the log pile. The path on the backside car or foot. The other path has a wasp infestation. I observed wood waste and logs in the pro property. The accumulation of logs on the property constitutes "open dumping" and causes in COMAR 26.04.09.03. and COMAR 26.04.07.03 The logs being used for sawmill operations violation; all Natural Wood Waste must be removed from the property immediately. The facili dumping of logs and other Natural Wood Waste on the property. Summary: Non-compliant with COMAR 26.04.07.03. and COMAR 26.04.09.03., Site Complai for the ongoing violations. See photos attached below. Note: Operating without a permit or license in violation of a permit, license, or law may resi administrative penalties. Each day a violation occurs is a separate occurrence. Be advised public record and as such, i	imately 15ft to d the sawmill; o grade the propercial of center of the ome material olocked on the ved a pile of y ce preventing are observed points of the pile is not otected wetlar narm to the end of on the of the ty must stop and ont SC-O-25-No	all lining both sides of the the previously observed roperty appear to be 2ft ne yard according to Nick, however I observed erear side due to an yard waste with green, glogs, mulch, and wood passed the silt fence. To longer navigable by nds area next to the environment in violation of onder the open dumping allowing the open.
Inspector: Christopher Barlow Jr Christopher Barlow Jr Received by:	ignature/Date	Э
Report provided to:		
☐ Email P ☐ Regular Mail ☐ Certified Mail	rint Name	

1800 Washington Boulevard • Baltimore Maryland 21230 (410) 537-3000 • 1-800-633-6101 • http:// www. mde. state. md. us













1800 Washington Boulevard • Baltimore Maryland 21230 (410) 537-3000 • 1-800-633-6101 • http:// www. mde. state. md. us









1800 Washington Boulevard • Baltimore Maryland 21230 (410) 537-3000 • 1-800-633-6101 • http:// www. mde. state. md. us













1800 Washington Boulevard • Baltimore Maryland 21230 (410) 537-3000 • 1-800-633-6101 • http:// www. mde. state. md. us







1800 Washington Boulevard • Baltimore Maryland 21230 (410) 537-3000 • 1-800-633-6101 • http:// www. mde. state. md. us











1800 Washington Boulevard • Baltimore Maryland 21230 (410) 537-3000 • 1-800-633-6101 • http:// www. mde. state. md. us









1800 Washington Boulevard • Baltimore Maryland 21230 (410) 537-3000 • 1-800-633-6101 • http:// www. mde. state. md. us



