

# THIS IS AN OFFICIAL NH DHHS HEALTH ALERT

Distributed by the NH Health Alert Network

[DHHS.Health.Alert@dhhs.nh.gov](mailto:DHHS.Health.Alert@dhhs.nh.gov)

May 11, 2026, 1330 hrs (3:30 PM EDT)

NH-HAN 202605111



Department of  
**HEALTH &  
HUMAN SERVICES**

## Hantavirus (Andes Virus) Cruise Ship Outbreak

### Key Points and Recommendations:

- Review the attached [CDC HAN](#) about the Andes virus cruise ship outbreak.
- The New Hampshire Division of Public Health (DPH) was notified that two individuals with New Hampshire addresses traveled on the affected cruise ship. DPH is awaiting confirmation from our federal partners to determine if and when these individuals will return to New Hampshire. No travelers from the ship are in New Hampshire at this time.
- If either identified person returns to New Hampshire, DPH will conduct active health monitoring. This monitoring will include assessment for development of signs/symptoms for 42 days from last potential exposure.
  - DPH will notify and work with local healthcare partners to ensure access to medical evaluation and testing in the event any traveler develops signs/symptoms.
  - Persons with Andes virus infection are not believed to be infectious until symptoms develop.
- Follow CDC's guidance for [type of precautions](#) when evaluating a patient with suspected Andes virus infection.
  - Place patient in an airborne infection isolation room and use gown, gloves, eye protection, and an N95 or higher-level respirator.
- Report persons suspected to have hantavirus infection immediately to DPH at 603-271-4496 (after hours call 603-271-5300 and request the public health nurse on-call).
- Attend our healthcare provider webinar this Thursday, May 14<sup>th</sup> from 12:00–1:00 pm EST where we will discuss the Andes virus outbreak and share relevant clinical information; login information can be [accessed online](#).

- For any questions regarding this notification, please call the NH DHHS, DPH, Bureau of Infectious Disease Control at (603) 271-4496 during business hours (8:00 a.m.-4:00 p.m.).
- If you are calling after hours or on the weekend, please call the New Hampshire Hospital switchboard at (603) 271-5300 and request the Public Health professional on-call.
- To change your contact information in the NH Health Alert Network, please send an email to [DHHS.Health.Alert@dhhs.nh.gov](mailto:DHHS.Health.Alert@dhhs.nh.gov) or visit <https://nhhan.org/>.

Status: Actual  
Message Type: Alert  
Severity: Moderate  
Sensitivity: Not Sensitive  
Message Identifier: NH-HAN 202605111) Hantavirus (Andes Virus) Cruise Ship Outbreak  
Delivery Time: 12 hours  
Acknowledgement: No  
Distribution: Email, Fax  
Method:  
Distributed to: Physicians, Physician Assistants, Practice Managers, Infection Control Practitioners, Infectious Disease Specialists, Community Health Centers, Hospitals, Hospital CEOs, Hospital Emergency Departments, EMS, Nurses, NHHA, Pharmacists, Laboratory Response Network, Manchester Health Department, Nashua Health Department, Public Health Networks, DHHS Outbreak Team, DPH Investigation Team, DPH Management Team, Northeast State Epidemiologists, Zoonotic Alert Team, Health Officers, Deputy Health Officers, MRC, NH Schools, EWIDS, Dialysis & Transplant Clinics, STD Clinics, Immunization Practices, Travel Centers, Influenza Sentinels, Urgent Care Centers, Ambulatory Surgical Centers, Walk-in Clinics, Poison Center, Alcohol and Other Drug Treatment Centers, Long-Term Care Facilities, Community Mental Health Centers, Health Departments, Internal Medicine, Occupational Health, Gastroenterology, Schools and Daycare Providers, Regional Public Health Networks, Environmental Services, Family Planning Programs, Department of Corrections, Home Care Providers, Local and State Partners, Area Agencies  
From: Benjamin P. Chan, MD, MPH, State Epidemiologist  
Elizabeth A. Talbot, MD, Deputy State Epidemiologist  
Originating Agency: NH Department of Health and Human Services,  
Division of Public Health

**Attachments:**

- 1) CDC HAN: 2026 Multi-Country Hantavirus Cluster Linked to Cruise Ship

## 2026 Multi-country Hantavirus Cluster Linked to Cruise Ship

May 8, 2026

At a glance

Distributed via the CDC Health Alert Network



### Summary

The Centers for Disease Control and Prevention (CDC) is issuing this Health Alert Network (HAN) Health Advisory to inform clinicians and health departments about a new cluster of hantavirus disease cases caused by infection with Andes virus. Hantavirus disease can cause severe illness and can be fatal. Clinicians should be aware of the potential for imported cases, although the risk of broad spread to the United States is considered extremely unlikely at this time. As a precaution, this Health Advisory summarizes CDC's recommendations for U.S. public health departments, clinical laboratories, and healthcare workers about hantavirus disease case identification, testing, and biosafety considerations in clinical laboratories.

### Background

On May 2, 2026, the World Health Organization (WHO) was notified of a cluster of severe acute respiratory illness (SARI) among passengers and crew of a cruise ship in the Atlantic Ocean. The cluster included two deaths and one critically ill passenger, whose laboratory tests confirmed hantavirus. On May 6, 2026, WHO confirmed that the type of hantavirus responsible for this outbreak is the Andes virus. As of May 8, 2026, WHO has reported eight

cases (six confirmed and two suspected), including three deaths. Investigations are ongoing to assess exposure risk of all Americans passengers on the cruise ship or who may have been exposed to an infected cruise ship passenger on an aircraft.

The cruise ship departed from Ushuaia, Argentina, on April 1, 2026, and traveled across the South Atlantic Ocean, stopping at several remote locations, including Antarctica, South Georgia Island, Tristan da Cunha, Saint Helena, and Ascension Island. It carried 147 people (86 passengers and 61 crew) from 23 different countries. The extent of their contact with wildlife before or during the expedition is unknown.

CDC is working with partners (federal government, state and local and international) on safely repatriating American passengers from the cruise ship to a facility in Nebraska with specialized medical capabilities. On May 7, 2026, CDC sent a team to meet the cruise ship in the Canary Islands, Spain following travel from Cape Verde. The team is prepared to assess exposure risk among U.S. passengers and determine appropriate monitoring measures.

CDC is also coordinating with international partners to align public health guidance and has already issued health guidance to affected Americans via the State Department. **The risk to the public's health in the United States is considered extremely low at this time.** As a precaution, CDC is working to increase awareness of the outbreak among travelers, public health agencies, laboratories, and healthcare professionals nationwide.

### *Hantavirus pulmonary syndrome*

Hantaviruses are a group of viruses that can cause severe illness and death. They are most commonly transmitted (spread) to humans through contact with infected rodents (e.g., urine, droppings, saliva). Rarely, infection can occur from rodent bites or scratches. From 1993 through 2023, a total of 890 laboratory-confirmed [cases of hantavirus were reported in the United States](#).

In the Americas, hantaviruses can cause hantavirus pulmonary syndrome (HPS), a severe and potentially deadly disease that affects the lungs. HPS can be life-threatening. Among patients who have severe respiratory symptoms, the case fatality rate has been estimated at approximately 38%.

Andes virus, confirmed as the cause of this hantavirus outbreak, is the only type of hantavirus that has been documented to spread from person-to-person. Although rare, spread between people has typically required close, prolonged contact with a symptomatic person. This could include direct physical contact, prolonged time spent in close or enclosed spaces, and exposure to the infected person's saliva, respiratory

secretions, or other body fluids (e.g., kissing, sharing utensils, handling contaminated bedding).

Symptoms of HPS caused by Andes virus usually appear within 4-42 days after exposure. Early symptoms can include fever, fatigue, and muscle aches, especially in large muscle groups like the thighs, hips, back, or shoulders. Early symptoms such as fever, headache, muscle aches, nausea, and fatigue can be easily confused with influenza or other viral illnesses. About half of all HPS patients have experienced headaches, dizziness, chills, and gastrointestinal symptoms, including nausea, vomiting, diarrhea, and abdominal pain. Late symptoms of HPS appear approximately 4-10 days after the initial phase of illness and can include coughing, shortness of breath, and chest tightness. Individuals are generally only infectious while symptomatic.

Early diagnosis of HPS can be difficult, especially within the first 72 hours of symptoms, before the virus can be accurately detected in body secretions and excretions. Repeat diagnostic testing is often done 72 hours after symptom onset. CLIA assays for detection of New World hantavirus IgM and IgG antibodies are available at CDC, some state public health laboratories, and Quest Diagnostics.

For questions or concerns about submitting a specimen, please contact your [state or local health department](#) or CDC's Emergency Operations Center at 770-488-7100.

No specific treatment is recommended for hantavirus infection; early supportive care is critical even before the diagnosis is confirmed. Patients with suspected HPS can deteriorate rapidly, and delayed care reduces the chance of survival. In severe cases, extracorporeal membrane oxygenation (ECMO) can significantly improve survival (up to ~80%) if started early. Usually, the critical phase of disease is fairly short, and survivors can recover quickly.

#### Recommendations for Healthcare Providers

- Be prepared to follow CDC's guidance under [Appendix A: Type and Duration of Precautions Recommended for Selected Infections and Conditions | Infection Control | CDC](#).
  - In healthcare settings, for patients with suspected or confirmed Andes virus infection, CDC recommends patient placement in an airborne infection isolation room and the use of a gown, gloves, eye protection, and an N95 or higher-level respirator when entering the patient's room.

- Include HPS in the differential diagnosis for an ill person who has compatible symptoms AND who has reported epidemiological risk factors, including **at least one** of the following, within the 42 days before symptoms onset:
  - Had direct physical contact, or spent time in close or enclosed spaces, with a symptomatic person with confirmed or suspected Andes virus infection or with any objects contaminated by their body fluids.
  - Had exposure to an infected person's saliva, respiratory secretions, or other body fluids (e.g., kissing, sharing utensils, handling contaminated bedding).
  - Experienced a breach in infection prevention and control precautions that resulted in potential contact with body fluids of a patient with suspected or confirmed Andes virus infection.
- Consider and perform diagnostic testing for more common illnesses as well, such as [COVID-19](#), [influenza](#), and other common causes of gastrointestinal and febrile illnesses in an acutely ill patient with epidemiological risk factors and compatible symptoms.

#### For More Information

##### *General Resources*

- [About Hantavirus | CDC](#)
- [About Andes Virus | CDC](#)
- [Reported Cases of Hantavirus Disease | CDC](#)
- [Hantavirus Prevention | CDC](#)

##### *Clinician Resources*

- [Clinical Overview of Hantavirus | CDC](#)
- [Clinician Brief: Hantavirus Pulmonary Syndrome \(HPS\) | CDC](#)
- [Clinician Brief: Hemorrhagic Fever with Renal Syndrome | CDC](#)
- [Hantavirus Disease Trainings for Healthcare Providers | CDC](#)
- [Appendix A: Type and Duration of Precautions Recommended for Selected Infections and Conditions | Infection Control | CDC](#)

##### *Health Department Resources*

- [Hantavirus Case Definition and Reporting | CDC](#)

## References

1. World Health Organization (WHO). Disease Outbreak News: Hantavirus cluster linked to cruise ship travel, Multi-country. May 8, 2026. <https://www.who.int/emergencies/disease-outbreak-news/item/2026-DON599>
  2. Complete sequence of Orthohantavirus andesense virus: Swiss resident 2026. May 7, 2026. <https://virological.org/t/complete-sequence-of-orthohantavirus-andesense-virus-swiss-resident-2026/1023>
  3. World Health Organization (WHO). Disease Outbreak News: Hantavirus cluster linked to cruise ship travel, Multi-country. May 4, 2026. <https://www.who.int/emergencies/disease-outbreak-news/item/2026-DON599>
  4. Martínez VP, Valeria, Di Paola N, Alonso DO, et al. "Super-Spreaders" and Person-to-Person Transmission of Andes Virus in Argentina. *New England Journal of Medicine*. 383. 2230-2241. 10.1056/NEJMoa2009040. 2020; 383(23):2230-2241. <https://doi.org/10.1056/nejmoa2009040>. PMID:33264545.
- [HAN-00523: Dengue Virus Infections](#)

## [View AllHAN](#)

*The Centers for Disease Control and Prevention (CDC) protects people's health and safety by preventing and controlling diseases and injuries; enhances health decisions by providing credible information on critical health issues; and promotes healthy living through strong partnerships with local, national and international organizations.*

## [U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES](#)

### HAN message types

- **Health Alert:** Conveys the highest level of importance about a public health incident.
- **Health Advisory:** Provides important information about a public health incident.
- **Health Update:** Provides updated information about a public health incident.

###

This message was distributed to state and local health officers, state and local epidemiologists, state and local laboratory directors, public information officers, HAN coordinators, and clinician organizations.

###