



Allegheny County Health Department

Food Safety Program

2121 Noblestown Rd, Suite# 210,
Pittsburgh, PA 15205

Phone: 412-578-8044 Fax: 412-578-8190

Food Safety Assessment Report

Client ID: 202308100008 **Client Name:** Pitt Eats / Litchfield Tower B / The Eatery / Main Kitchen
Address: 3913 Forbes Avenue **Inspection Date:** 09/09/2024
City: Pittsburgh **State:** PA **Zip:** 15213 **Purpose:** Complaint
Municipality: Pittsburgh-104 **Inspector:** 116678 **Permit Exp. Date:** 08/31/2024
Category Code: 405-University Food Service **Priority Code:** 1
Re- Inspection: No - Inspector **Re- Inspection Date:** **Class:** 4

Food Safety Assessment Categories		Assessment Status					Violation Risk		
	◆	S	NO	NA	V		High	Med.	Low
1 Food Source/Condition									
2 Cooking Temperatures #		x							
3 Consumer Advisory									
4 Reheating Temperatures #									
5 Cooling Food #									
6 Hot Holding Temperatures #									
7 Cold Holding Temperatures #									
8 Facilities to Maintain Temperature									
9 Date Marking of Food									
10 Probe-Type Thermometers		x							
11 Cross-Contamination Prevention #									
12 Employee Health #									
13 Employee Personal Hygiene #									
14 Cleaning and Sanitization #									
15 Water Supply									
16 Waste Water Disposal									
17 Plumbing									
18 Handwashing Facilities									
19 Pest Management #		x							
20 Toxic Items									
21 Certified Food Protection Manager		x							
22 Demonstration of Knowledge									
23 Contamination Prevention - Food, Utensils and Equipment									
24 Fabrication, Design, Installation and Maintenance									
25 Toilet Room									
	0	4	0	0	0		0	0	0

General Sanitation		Assessment Status					Violation Risk		
	◆	S	NO	NA	V		High	Med.	Low
26 Garbage and Refuse		x							
27 Floors									
28 Walls and ceilings									
29 Lighting									
30 Ventilation									
31 Dressing rooms and Locker rooms									
32 General Premises		x							
33 Administrative									
	0	2	0	0	0		0	0	0

U.S. Centers for Disease Control and Prevention "high risk" for foodborne illness and establishment of priority of inspection

◆ - Diamond Exceptional

S - Satisfactory NO - Not Observed NA - Not Applicable V- Violation



Allegheny County Health Department

Food Safety Program

2121 Noblestown Rd, Suite# 210,
Pittsburgh, PA 15205

Phone: 412-578-8044 Fax: 412-578-8190

Food Safety Assessment Report

Inspection Details

Inspector Name: 116678

Balance Amount: \$0.00

Placarding: Inspected & Permitted

Contact:

Start Time: 02:15:00 PM

End Time: 05:00:00 PM

Phone: (412) 624-2347

Other Assessment observations and comments:

2 Cooking Temperatures Satisfactory

Final cook temp of chicken breast measured 171F.

10 Probe-Type Thermometers Satisfactory

Facility has provided personal probe thermometers to every cook in main kitchen.

19 Pest Management Satisfactory

Facility has pest control services from Ehrlich and Witt.

21 Certified Food Protection Manager Satisfactory

Multiple persons are ServSafe certified.

Exceptional Observations: