

| 25-00043 | umber 80-1 | | 04/09/2025 | 0000406 | nber | Incident Ty (111) - Bu | | | | |
|--|--|----------------------|------------------------------|-----------------------------------|------------------------------------|---------------------------------------|-----------------------|-----------------------|-------------------|------|
| DID 05403 | | Station Lexington | Fire and Rescue | | | Shift B-Shift | | District | | |
| nitial Dispa Investiga | | | | | | | | | | |
| Alarms 2 | Working Fire? Yes | | COVID-19 was a factor | | Critical Incide Yes | ent | Critical Incid Yes | ent Team | | |
| | ident Circumstance i-casualty incider | | | | | | | | | |
| | ident Circumstance th or serious inju | | | | | | | | | |
| | ident Circumstance lents with excess | | nterest | | | | | | | |
| Temporary None | Resident Involven | ent | | | | | | | | |
| -lazardous | Materials Release | d | | | | | | | | |
| (1) - Natu | ıral gas: slow leal | , no evac. c | or HazMat actions | | | | | | | |
| Action Take | | k, no evac. c | or HazMat actions | | | · · · · · · · · · · · · · · · · · · · | | | | |
| Action Take (81) - Inci Action Take | en 1 ident command | c, no evac. c | or HazMat actions | | | | | | | |
| Action Take (81) - Inci Action Take (34) - Trai | en 1 ident command en 2 nsport person | | | | | | | | | |
| Action Take (81) - Inci Action Take (34) - Trai | en 1 ident command en 2 nsport person en 3 | | | | | | | | | |
| Action Take (81) - Inci Action Take (34) - Tran Action Take (11) - Exti AID Aid Given/F | en 1 ident command en 2 nsport person en 3 inguishment by f | | | | | | | | | |
| Action Take (81) - Inci Action Take (34) - Trai Action Take (11) - Exti AID Aid Given/F (1) - Mutu | en 1 ident command en 2 nsport person en 3 inguishment by f Received ual aid received | | | | | Their Incide | ent Number | | | |
| Action Take (81) - Inci Action Take (34) - Tran Action Take (11) - Exti AID Aid Given/F (1) - Mutu Aided Agen Aiding Agen Corder Do | en 1 ident command en 2 nsport person en 3 inguishment by f Received ual aid received ncy ncies over Fire Protect | re service p | | OTECTION DISTR | :ICT, Higginsvill Wellington Na | e EMS, Higgi | nsville Fire Pro | otection Dis trict | strict, Mayview F | iire |
| Action Take (81) - Inci Action Take (34) - Tran Action Take (11) - Exti AID Aid Given/F (1) - Mutu Aided Agen Aiding Agen Corder Do | en 1 ident command en 2 nsport person en 3 inguishment by f Received ual aid received ncy ncies over Fire Protect on District, Odess | re service p | personnel FORT OSAGE FIRE PR | OTECTION DISTR unty Ambulance, | ICT, Higginsvill Wellington Na | e EMS, Higgi | nsville Fire Pro | otection Dis | strict, Mayview F | ire |

| | | La | titude | Longitude | Census Tract |
|--|--|--------------------------------------|------------------------|-----------|--------------|
| Detector Alerted Occupant (2) - Detector did not alert occupa | ants | | | | • |
| Property Use (419) - 1 or 2 family dwelling | | | xed Use NN) - Not m | ixed use | |
| TIMES | | | | | |
| Alarm Time 16:14:59, 04/09/2025 | | | | | |
| Arrival Time 16:20:24, 04/09/2025 | Water on Fire Time 19:47:00, 04/09/2025 | At Patient Time 19:46:00, 04/09 | 9/2025 | | |
| Loss Stop Time 21:05:00, 04/09/2025 | Controlled Time 21:05:00, 04/09/2025 | Last Unit Cleared 01:31:50, 04/11 | | - | |
| Total On Scene Time 33 hrs 11 mins 26 sec | Total Incident Time 33 hrs 16 mins 51 sec | | | | |
| 配 COUNTS | | | | | |
| Counts Include Aid Received? | | | | | |
| | | | | | |
| Suppression: | EMS: | Other: | | | |
| Apparatus Personnel | Apparatus Personnel A | Apparatus Personnel | | | |
| • • | Apparatus Personnel A | | | | |
| Apparatus Personnel 6 12 | Apparatus Personnel A | Apparatus Personnel | | | |
| Apparatus Personnel 6 12 | Apparatus Personnel A | Apparatus Personnel | | | |
| Apparatus Personnel 6 12 LOSS Property: Estimated Property Losses | Apparatus Personnel A Content: Estimated Content | Apparatus Personnel 2 2 | | | |
| Apparatus Personnel 6 12 LOSS Property: Estimated Property Losses \$1 | Apparatus Personnel A Content: Estimated Content \$1 | Apparatus Personnel 2 2 Losses | | | |
| Apparatus Personnel 6 12 LOSS Property: Estimated Property Losses | Apparatus Personnel A Content: Estimated Content | Apparatus Personnel 2 2 Losses | | | |
| Apparatus Personnel 6 12 LOSS Property: Estimated Property Losses \$1 Estimated Property Value \$1 | Apparatus Personnel A Content: Estimated Content \$1 Estimated Content | Apparatus Personnel 2 2 Losses | | | |
| Apparatus Personnel 6 12 LOSS Property: Estimated Property Losses \$1 Estimated Property Value \$1 | Apparatus Personnel A Content: Estimated Content \$1 Estimated Content | Apparatus Personnel 2 2 Losses | | | |
| Apparatus Personnel 6 12 LOSS Property: Estimated Property Losses \$1 Estimated Property Value \$1 PERSON/OWNER Owner: Name | Apparatus Personnel A Content: Estimated Content \$1 Estimated Content \$1 Business Name | Apparatus Personnel 2 Losses Value | and and a | Phone | |
| Apparatus Personnel 6 12 LOSS Property: Estimated Property Losses \$1 Estimated Property Value \$1 PERSON/OWNER Owner: Name | Apparatus Personnel A Content: Estimated Content \$1 Estimated Content \$1 Business Name | Apparatus Personnel 2 2 Losses | and and a | Phone | |
| Apparatus Personnel 6 12 LOSS Property: Estimated Property Losses \$1 Estimated Property Value \$1 PERSON/OWNER Owner: Name Insurance Company | Apparatus 3 4 Content: Estimated Content \$1 Estimated Content \$1 Business Name Total Insurance Am | Apparatus Personnel 2 Losses Value | and and a | | |
| Apparatus Personnel 6 12 LOSS Property: Estimated Property Losses \$1 Estimated Property Value \$1 PERSON/OWNER Owner: Name Insurance Company | Apparatus 3 4 Content: Estimated Content \$1 Estimated Content \$1 Business Name | Apparatus Personnel 2 Losses Value | and and a | | |
| Apparatus Personnel 6 12 LOSS Property: Estimated Property Losses \$1 Estimated Property Value \$1 PERSON/OWNER Owner: Name Insurance Company | Apparatus 3 4 Content: Estimated Content \$1 Estimated Content \$1 Business Name Total Insurance Am | Apparatus Personnel 2 Losses Value | and and a | | |
| Apparatus Personnel 6 12 LOSS Property: Estimated Property Losses \$1 Estimated Property Value \$1 PERSON/OWNER Owner: Name Insurance Company Address | Apparatus 3 4 Content: Estimated Content \$1 Estimated Content \$1 Business Name Total Insurance Am | Apparatus Personnel 2 Losses Value | and and a | | |
| Apparatus Personnel 6 12 LOSS Property: Estimated Property Losses \$1 Estimated Property Value \$1 PERSON/OWNER Owner: Name Insurance Company Address | Apparatus 3 4 Content: Estimated Content \$1 Estimated Content \$1 Business Name Total Insurance Am | Apparatus Personnel 2 Losses Value | | | |

A PERSON/OWNER Address **Business Name** Phone Name NAMED OF THE OWNER Address Phone **Business Name** Name Address **∂**✓ AUTHORIZATION **Report Writer: Authorization Date** Name **Employee Number** Assignment 04/30/2025 MARTIN, JAMES 1610 Officer in Charge: **Employee Number Authorization Date** Assignment Name 04/30/2025 MARTIN, JAMES 1610 **Quality Control:** Name **Authorization Date**

INCIDENT NARRATIVE

NTSB incident reference number: PLD 25 LR 004

Troy.Lloyd@NTSB.Gov. (Lead Investigator)

Ashley Horton- NTSB In charge

Missouri Division of Fire Safety Investigations number: 25-00251

Apparatus on Scene:

Lexington: Engine 1, Engine 3, Chief-1, Med 1, Med 2, Med 3

Names and assignments included in this report

Randall Hansen-Lexington Emergency Management

Wellington:

Fire Chief Randy Jones in Brush 2

Engine 1

Phillip Hilker

Andrew Lockhart

Brian Wilson

Bradly Raymond

Med 1

Assistant Chief Kaitlyn Simsheuser

Kylene Lockhart

Heidi Raymond

Brush 1

Logan Neer

Alex Siefker

Tanker 1

Mike Simsheuser

Corder/Dover Fire Protection District

Engine 1 and Engine 2

Fire Chief David Rasa

Assistant Chief Scott Bergsieker

Dallas Hueser

Seth Philips

Jesse Dunkle

Higginsville Fire Protection District

Engine 1

Captain Jeff Drury

Daniel Cahill

Eric Lockard

Austin Trent

Rescue 1

Battalion Chief Delbert Goetz

Kelan Ernst

Drew Lefman

Kyle Williams

Odessa Fire Protection District

Engine 1

Lead Firefighter Travis Young

Terry Crawford

Med 1

Maegan McCann

| Roman Metcalf |
|--|
| Fort Osage: |
| Shift supervisor |
| Captain Nathan Hollingsworth |
| Engine 1 |
| Captain Jackson Rexford |
| Three additional crew members |
| Mayview Fire Protection District |
| Engine 1 |
| Fire Chief Kris White |
| Jeff Ryun |
| Chris Liles |
| Emett Cox |
| Travis Fricke |
| Melanie Thornburg |
| Higginsville EMS: |
| Med 1 |
| WICG I |
| Miles Crow |
| |
| Miles Crow |
| Miles Crow Darla Buckley |
| Miles Crow Darla Buckley Supervisor vehicle: |
| Miles Crow Darla Buckley Supervisor vehicle: EMS Director Doug Kenney |
| Miles Crow Darla Buckley Supervisor vehicle: EMS Director Doug Kenney CERT team |
| Miles Crow Darla Buckley Supervisor vehicle: EMS Director Doug Kenney CERT team Mark Gross |
| Miles Crow Darla Buckley Supervisor vehicle: EMS Director Doug Kenney CERT team Mark Gross Wendell Bush |
| Miles Crow Darla Buckley Supervisor vehicle: EMS Director Doug Kenney CERT team Mark Gross Wendell Bush Jack Green |
| Miles Crow Darla Buckley Supervisor vehicle: EMS Director Doug Kenney CERT team Mark Gross Wendell Bush Jack Green Mark Schwartz |
| Miles Crow Darla Buckley Supervisor vehicle: EMS Director Doug Kenney CERT team Mark Gross Wendell Bush Jack Green Mark Schwartz Drake Wulser |
| Miles Crow Darla Buckley Supervisor vehicle: EMS Director Doug Kenney CERT team Mark Gross Wendell Bush Jack Green Mark Schwartz Drake Wulser David Looney |
| Miles Crow Darla Buckley Supervisor vehicle: EMS Director Doug Kenney CERT team Mark Gross Wendell Bush Jack Green Mark Schwartz Drake Wulser David Looney Melissa Zepherie |

Captain/Paramedic Scott Williams

Ashley Daughters

Pettis County Ambulance District (Self-dispatched)

Paramedic Ethan Hooser

Special notes for ESO report:

"Incident Type": Is classified as a building fire as that was the final outcome of the original gas leak investigation. The original report was not closed at the dispatch center so all times are related to one singular incident.

"Story of Fire Origin" is a mandatory fill. It was identified as "0" since the cause is under investigation and the extent of damage made it impossible to provide this determination by me. State and Federal authorities will provide results of a detailed professional investigation.

"Unit responses": Several Lexington responders went directly to the scene after going to the fire station and gathering protective gear. These responders are collectively placed in "POV 2" as it is not possible to obtain times and details for each individual member.

"Unit responses": The fire department shift change is at 1800 hours every 48 hours. The original response included Kylie Plummer and Kyle Pittman on Engine 1. This same crew returned to the scene when requested the second time by Liberty Gas. Just prior to 1800 hours, FF Plummer was changed out for her end of shift with FF Dennis Dunkle. At the time of the explosion Pittman and Dunkle were staffing Engine 1 and Plummer returned off duty to staff Engine 3. This is how their assignments are reflected in this report.

"Loss": The loss section is a mandatory fill. A value of \$1 was assigned to each section to allow the report to validate. A detailed investigation by State and Federal authorities as well as private insurance companies will provide the actual estimated dollar loss. The \$1 figure is intended to not conflict with findings of the investigations at a later time.

Time of explosion: I attempted contact by radio with the central dispatch center in Higginsville without answer initially. Immediately following the explosion I observed debris contact the power lines along 18th Street which resulted in arcing for up to 5 seconds. The dispatch supervisor reviewed all Lexington channel recordings and the first attempts are not recorded although heard by local responders. Speculation only by me, but the power interruption immediately following the explosion and discharge of debris may have compromised the fire station repeater making initial contact with Central Dispatch not possible. Later attempts where "emergency traffic" is heard in preface to the transmission and all subsequent communications were unimpeded. The recording at approximately 1943 hours is the closest time stamp to assign to the moment of the explosion. The times provided by the Higginsville Central Dispatch Center are the ones used in the report.

Begin incident report:

Alarm/Dispatch: Lexington Fire and Rescue was dispatched to 1720 South Street, which is the address for the Walker-Nadler-Fuller Funeral Home, at approximately 1614 hours to investigate a natural gas leak reported to 911 by a work crew conducting underground directional boring for the purpose of installing fiber optic conduit. Additional information provided to the call center at the time of dispatch was that the boring machine was located in the alleyway behind the structure and described the strike as "spewing out". The dispatch center also contacted the Liberty Gas Company and notified the call center of a possible line strike.

Response: The on-duty fire and rescue crew of two personnel received the alarm and staffed Engine 1 for the response. No difficulties or delays were encountered en route to the scene in daytime partly cloudy and dry weather conditions with light winds and temperature of low 70's degree F. Chief 1 was mobile in the city limits and also responded to the alarm. Engine 1 and Chief 1 responded without delay but without the use of emergency lights or sirens.

Arrival/size-up: Engine 1 arrived in the area and parked in the parking lot on the northeast corner of South Street at 18th Street; which is directly across 18th Street to the east from the funeral home. A Lexington Police officer, A. Martinez, also responded and blocked the intersection of 18th and South Streets. The crew of Engine 1 made contact with the supervisor of the boring crew and the supervisor informed them of the strike and showed them the bore entrance into the ground on the north side of the alley on the west side of 18th Street. The crew could hear an audible sound associated with a pressurized gas escaping from containment and noted a "Rotten egg" smell in the immediate area of the bore entrance into the ground as well as the grass moving in this immediate area of the bore shaft. No further action was taken by the crew members of Engine 1 who stood by awaiting the arrival of Liberty Gas. When I arrived on the scene I parked at the intersection of Franklin Avenue at 18th Street on the southwest corner of the intersection. I also contacted the boring supervisor, Jonathan Pollas, in person and he repeated the same information as above to me.

Operations: I contacted a Liberty Gas technician by cell phone, Justin, who I knew from previous responses and city inspections and Justin advised me he was approaching Lexington on South Highway 13 and preparing to exit. I gave him navigational instructions on how best to access the scene which was to take Main Street to 18th Street and approach from the north. Justin parked on 18th Street between Franklin Avenue and the alleyway and we made in person contact. Engine 1 and myself continued to stand by while Justin conducted a scene assessment. Upon completing his assessment, Justin advised me that fire units could return to service. At this time Engine 1 and myself cleared the scene and returned to the fire station. A dispatch note (attached) documents this time as 1645:03. Fire units did not depart immediately upon the arrival of Liberty Gas. I estimate the time of arrival of the Liberty Gas technician as approximately 1630 hours.

At approximately 1720 hours, I received a cell phone call from Justin with Liberty Gas. Justin advised he had obtained a reading of 4% in the garage of the funeral home and wanted the fire department to return to the scene to stand-by. Engine 1 returned to the scene without delay but without the use of emergency lights or sirens and re-positioned in the same general vicinity of the parking lot as before. I responded also a short time later and parked in the original location on Franklin Street at 18th Street. Units remained in a stand by mode until approximately 1940 hours when a Liberty Gas employee requested a charged hoseline from the crew of Engine 1. I had walked down the street to interact with Liberty Gas and the crew of Engine 1. The Engine 1 crew members were preparing to don SCBA and were stretching a 1 3/4 inch line from the front bumper compartment of the apparatus. I had returned to my vehicle and was standing at the rear donning protective gear and facing east when I heard an explosion.

From reviewing dispatch recordings, the most approximate time I can associate with the explosion is 1942 hours.

I attempted contact with dispatch by radio and did not receive a response initially. Approximately one minute later I was answered by dispatch and I advised of an explosion involving a residence. I requested a 2nd alarm assignment and further advised of multiple casualties. A representative from the Liberty Gas Company approached me just after the explosion and advised me that he was shutting off gas to the City of Lexington immediately.

The crew from Engine 1, already on the scene prior to the explosion, connected a supply line to the hydrant located at South Street and 18th Street and deployed two 1 3/4 inch hand lines to provide exposure protection to threatened structures and mobile property. Flames were visible from the trenches which had been excavated by Liberty Gas prior to the explosion. Fire Officers responding directly to the scene made contact with me and began an organized search in the debris field and the affected residences. Assistant Chief Kelly Clay made contact with me and was assigned triage of the identified patients. Med 1 responded from the fire station and approached from the East on Franklin Avenue. Both patients known to Lexington Fire Command at the time were transported by Med 1. (Separate ESO EMS reports are on file) A verbal statement from the adult male burn victim observed exiting the principle structure was that a small child was still inside. Neighborhood residents, concerned citizens, and onlookers had gathered quickly in the immediate area of the incident just after the explosion which caused an added challenge to initially determine the number of casualties. The dispatch center had received information that a 5 year old and an 11 year old were missing. Working with law enforcement, it was eventually determined that the reported missing were the identified pediatric patient and the deceased and that no additional victims were known to be at the scene or unaccounted for.

Off-duty FF/EMT Kylie Plummer responded to the fire station, staffed Engine 3, and responded to the scene emergency entering from the West on Franklin Avenue and the apparatus was positioned in the street in front of 1711 Franklin Avenue address. A 5 inch supply hose was connected to the hydrant located at 17th Street and Franklin Avenue. Fire had spread to the structure addressed as 1721 Franklin Avenue which was located on the corner of 18th Street and Franklin Avenue. Within a few minutes of the explosion a center portion of the west-facing wall of this two story ordinary construction residence collapsed exposing the remaining structure to fire conditions from the principle address where the explosion had occurred. Additionally, the single family residence addressed as 1711 Franklin had received blast damage which caused loss of the windows and structural damage to the east wall, which was next to the principle address. Explosion damage caused the soffit to open along the entirety of the east side facing 1717 and allowed for unimpeded fire spread prior to the arrival of Engine 3. Fire suppression was initiated using the apparatus-mounted deluge gun and a 2 1/2 inch preconnected handline was also charged and deployed. A total of one 2 1/2 inch and three 1 3/4 inch lines were deployed from Engine 3 during suppression operations which were interrupted when an unidentified passenger vehicle ran over the 5 inch supply line causing a loss of water supply to Engine 3. Wellington Engine 2 provided a water supply from a hydrant located at 17th Street at Main Street and suppression operations were resumed following this water supply connection. Fire suppression efforts continued to be slowed by what appeared to be a fuel-fed fire in the debris field of the explosion address as flames with blue and green colors continued to flare up for several minutes intermittently. Deluge gun operations were stopped after most of the open flames were suppressed to provide water to the handlines which provided more direct contact for suppression following initial fire stop. The northwest corner of the structure addressed as 1721 collapsed also during fire suppression operations. This was the second collapse of an exterior wall involving this structure and the second floor was observed to have collapsed in an angled manner creating a partial void.

As resources arrived on the scene and the response team expanded, I assigned Wellington Chief 1 (Randy Jones) to the position of Operations Section Chief within the Incident Command System. EMS Director Erika King was assigned to the Incident Safety Officer position. Wellington Assistant Chief of EMS Kaitlyn Simshauser was assigned on scene medical stand by and officer in charge of the Rehabilitation Section.

Higginsville Engine 1 approached the scene from the East on Franklin Avenue and connected to a hydrant located on Franklin Avenue at 19th Street with a 5 inch supply. Engine 1 also initially deployed a deluge cannon. Following knock down, two 1 3/4 lines were deployed from Higginsville Engine 1 to assist with the more directed fire attack. A total of seven 1 3/4 lines and one 2 1/2 line were utilized following deluge operations from Lexington Engine 1, Lexington Engine 3, and Higginsville Engine 1. Wellington Engine provided water supply to Lexington Engine 3,

Arriving ambulances were staged and discussion with Assistant Chief Clay and Lexington Fire officers were in agreement that no other casualties had come forward in the crowd for medical assistance and no other victims had been located by fire service personnel searching the area. The dispatch center received no other requests for service. It was determined the two patients transported by EMS were the only known patients. There was initial confusion in determining the number of deceased victims within the principle structure. The addresses of 1711 and 1721 were searched by fire service personnel and no additional victims were located. Confusion over a second child in the principle residence was clarified when Lexington Water Utilities Supervisor Brent Thompson made direct phone contact with a city employee who is the father of the adult patient and confirmed only three persons, one adult and two children, were present inside the structure. Mutual aid ambulances from Richmond and Higginsville were released at this time as Lexington ambulances became available at the scene after being brought in by later responding Lexington personnel. A citizen with a facial injury approached the crew of Wellington Med 1 and requested bandaging supplies. The adult female refused contact information, assessment, or transport. Wellington Med 1 provided 4x4 medical sponges to the patient who then broke contact on her own and left the scene.

Using the available supply from hydrants at the peak of suppression operations, a sustained estimated water flow of approximately 1,500 gallons per minute for approximately 20 minutes was utilized to bring the fire under control.

Later arriving mutual aid units from Mayview, Dover, Corder, Odessa, and Fort Osage provided additional fireground staffing to assist with suppression and overhaul operations.

Salvage/overhaul: The incident was placed under control at 2105 hours. Overhaul operations were minimized at the principle address until the arrival of Investigators from the Office of the Missouri State Fire Marshal. Near the northeast corner of the foundation of the 1717 Franklin Avenue address where the structure had been located before the explosion, what appeared to be human remains were located. Fort Osage Fire Protection District Captain Hollingsworth was assigned to remain at this location to preserve the scene. Overhaul was performed in this area as minimal as possible to preserve evidence while not allowing the fire to burn unabated. Overhaul of the two adjoining structures was performed without delay. The 1711 Franklin structure was declared out at approximately 2230 hours. Due to the collapse of two walls and risk of further collapse, overhaul to the 1721 Franklin structure was primarily exterior in nature and continued throughout the overnight to address hot spots and flare ups. A portion of a rear wall collapsed the following morning and an excavator was used by a contractor on emergency retainer with the city to demolish the remaining structure for immediate safety concerns. As hot spots ignited into flames overnight, they were extinguished using a 1 3/4 handline by fire service personnel.

Investigation: The investigation was turned over to the Office of the Missouri State Fire Marshal. Lexington Police and Lafayette County Sheriff were also on the scene. Later arriving state and federal agencies also opened investigations. Chief 1 remained on the scene overnight and maintained a chain of custody of the scene along with Lafayette County Sheriff. Chief 1 met with Investigators from the Office of the Missouri State Fire Marshal the next morning when they returned and assumed control of the scene.

Conclusion: Fire operations were concluded at approximately 1600 hours on April 10, 2025. Local, state, and federal authorities remained on the scene conducting investigations and were periodically assisted by fire and rescue personnel or command staff as requested.

Total number of patients contacted by Fire/EMS response: 4

- 1 triage black
- 2 triage red
- 1 triage green

Created By: MARTIN, JAMES



Unit Reports

CHIEF 1 Use **Responding From Priority** (0) - Other **CITY OF LEXINGTON Emergent** Response Delays None/No Delay

| CHIEF 1 | | | |
|---|---|--|---------------------------------------|
| Dispatch Time 16:14:59, 04/09/2025 | Enroute Time 16:17:42, 04/09/2025 | Arrival Time 16:20:24, 04/09/2025 | _ |
| At Patient Time | Clear Time 01:31:50, 04/11/2025 | In District Time 01:31:50, 04/11/2025 | · · · · · · · · · · · · · · · · · · · |
| Actions Taken: Incident command | | | |
| Personnel JAMES MARTIN | | | |
| MED 1 | | | |
| Use (2) - EMS | Responding From | | Priority |
| Response Delays | | | |
| Dispatch Time 19:45:00, 04/09/2025 | Enroute Time 19:47:00, 04/09/2025 | Arrival Time 19:49:00, 04/09/2025 | |
| At Patient Time 19:50:00, 04/09/2025 | Clear Time 02:01:34, 04/10/2025 | In District Time 02:01:34, 04/10/2025 | |
| Actions Taken: Transport person, Standby | | | |
| Personnel William Page, Layla Fischer | | | |
| MED 3 | · (1) [1] [1] [1] [1] [1] [1] [1] [1] [1] [1] | | |
| Use (2) - EMS | Responding From | | Priority |
| Response Delays | | | |
| Dispatch Time 19:45:00, 04/09/2025 | Enroute Time 19:57:00, 04/09/2025 | Arrival Time 20:03:00, 04/09/2025 | |
| At Patient Time | Clear Time 02:01:34, 04/10/2025 | In District Time 02:01:34, 04/10/2025 | |
| Actions Taken: | | | |
| Personnel MOLLIE NAGEL | | | |
| MED 2 | | | |
| Use (2) - EMS | Responding From CITY OF LEXINGTON | | Priority Emergent |
| Response Delays Staff Delay | | | |

| MED 2 | | | |
|--|--------------------------------------|--|----------------------|
| Dispatch Time 19:45:00, 04/09/2025 | Enroute Time 20:24:37, 04/09/2025 | Arrival Time 20:27:00, 04/09/2025 | _ |
| At Patient Time | Clear Time 02:01:34, 04/10/2025 | In District Time 02:01:34, 04/10/2025 | |
| Actions Taken: Standby, Extinguishment by | fire service personnel | | |
| Personnel ERIKA KING | | | |
| ENG3 | | | |
| Use (1) - Suppression | Responding From | | Priority |
| Response Delays | | | |
| Dispatch Time 19:45:00, 04/09/2025 | Enroute Time 19:56:42, 04/09/2025 | Arrival Time 19:58:28, 04/09/2025 | |
| At Patient Time | Clear Time 14:00:00, 04/10/2025 | In District Time 14:00:00, 04/10/2025 | |
| Actions Taken: Extinguishment by fire service | e personnel | | , |
| Personnel Kylie Plummer | | | |
| CHIEF 3 | | | |
| Use (1) - Suppression | Responding From CITY OF LEXINGTON | | Priority Emergent |
| Response Delays None/No Delay | | | |
| Dispatch Time 19:45:00, 04/09/2025 | Enroute Time 19:45:00, 04/09/2025 | Arrival Time 19:46:00, 04/09/2025 | |
| At Patient Time | Clear Time 02:01:34, 04/10/2025 | In District Time 02:01:34, 04/10/2025 | |
| Actions Taken: Search, Extinguishment by fi | re service personnel | Y= 1! | |
| Personnel KELLY CLAY | | | |
| OFFICER 1 | ARMS LANGERS | A STATE OF THE BOARD | |
| Use (1) - Suppression | Responding From | | Priority |
| Response Delays | | | |

OFFICER 1 Enroute Time Arrival Time Dispatch Time 19:49:00, 04/09/2025 19:45:00, 04/09/2025 19:46:00, 04/09/2025 At Patient Time **Clear Time** In District Time 02:01:34, 04/10/2025 02:01:34, 04/10/2025 Actions Taken: Search, Incident command, Extinguishment by fire service personnel Personnel DANIEL KING POV 1 **Priority** Use **Responding From** Emergent (0) - Other CITY OF LEXINGTON **Response Delays** None/No Delay **Arrival Time Dispatch Time Enroute Time** 19:48:00, 04/09/2025 19:45:00, 04/09/2025 19:45:00, 04/09/2025 Clear Time In District Time At Patient Time 02:01:34, 04/10/2025 02:01:34, 04/10/2025 **Actions Taken:** Extinguishment by fire service personnel Personnel **RYAN WADDELL** POV 2 Priority **Responding From** Use **Emergent** CITY OF LEXINGTON (1) - Suppression **Response Delays** Crowd, Traffic **Arrival Time Enroute Time Dispatch Time** 19:50:00, 04/09/2025 19:45:00, 04/09/2025 19:45:00, 04/09/2025 At Patient Time Clear Time In District Time 02:01:34, 04/10/2025 02:01:34, 04/10/2025 **Actions Taken:** Extinguishment by fire service personnel Personnel RODNEY WOLKEN, Kyle Johnson, Tyler Hobbs, Chanz Vanderpool, Jude Buxton, Ethan Schneider

Unit Narrative

Rush Buxton


Allison Waddell

Created By: MARTIN, JAMES

| ENG1 | | | | |
|---|-------------------------|------------------------------|--|-----------------------|
| Use (1) - Suppression | | onding From OF LEXINGTON | | Priority Emergent |
| Response Delays None/No Delay | | | | |
| Dispatch Time 16:14:59, 04/09/2025 | | ite Time 7:42, 04/09/2025 | Arrival Time 16:20:24, 04/09/2025 | |
| At Patient Time | | Time 1:34, 04/10/2025 | In District Time 02:01:34, 04/10/2025 | |
| Actions Taken: Standby, Extinguishme | ent by fire service per | sonnel | | |
| Personnel Martin Pittman, Denni | s Dunkle | | | |
| POV 3 | | | | |
| Use (1) - Suppression | | onding From OF LEXINGTON | | Priority Emergent |
| Response Delays Crowd, Traffic | | | | |
| Dispatch Time 19:45:00, 04/09/2025 | | ite Time 0:00, 04/09/2025 | Arrival Time 19:55:00, 04/09/2025 | |
| At Patient Time | Clear 02:0 | Time 1:34, 04/10/2025 | In District Time 02:01:34, 04/10/2025 | |
| Actions Taken: Search, Extinguishmen | nt by fire service pers | onnel | | |
| Personnel JAMES REGISTER | | | | |
| Fire Modu | ıle | | | |
| i SITE INFO | | | | |
| Alarms | Acres Burned | Resident Units In Bldg | Buildings Involved 5 | |
| Hydrant Identifier | 7500 | ated Water Usage 00 | | |
| 1 IGNITION | | | | |
| Area of Origin (UU) - Undetermined | | | | |
| Heat Source (UU) - Undetermined | | | | |
| Item First Ignited (UU) - Undetermined | | | | Fire Confined to Item |


| IGNITION | | | | | |
|---|-----------------------|--|---|---------------|--------------------------------|
| Type of Material First Igr (UU) - Undetermined | | | | | |
| Cause of Ignition (5) - Cause under inve | estigation | | | | |
| Factors Contributing to I (UU) - Undetermined | | | | | |
| Human Factors Contribu | iting to Ignition | | | | |
| Est. Age of Person Involv | red Gender of | Ferson involved | | | |
| STRUCTURE | | AND AND | | | |
| Structure Type (1) - Enclosed building | В | | | | |
| Stories Above Grade | Stories Below Grade | Building Status (2) - In normal use | | | |
| Length | Width | Total Square Feet 1080 sq ft | Story of Fire Origin | | |
| Fire Spread (5) - Beyond building | of origin | | | | |
| Item Contributing Most t | | | Type of Material (UU) - Undetermined | i | |
| Number of Storles wi | th Damage | | | | |
| Minor Damage | Significant Damage | Heavy Damage | Extreme Damage 1 | Total Stories | |
| PROTECTIVE SYST | rems | | | | |
| Presence of Detector (U) - Undetermined | Detector ⁻ | Гуре | | | |
| Power Supply | | | Detector Operations | | |
| Effectiveness (/Failure Re | eason) | | | | |
| Presence of Auto Extingu (U) - Undetermined | uishing System | | System Type | | |
| System Operation | | # of Sprinklers | Reason for System Failu | ıre | |
| Investiga | ntion | | | | |
| AGENCY REFERRE | | | | | |
| Agency Missouri State Fire Ma | | | | | Phone Number (573) 751-0501 |

| AGENCY REFERRED TO | | | | |
|--------------------------------------|----------------------------|-------------------|------------------------|---------------|
| Case Number | ORI | FID | FDID | |
| Address | | | | |
| (i) CASE INFO | | | | e op eken |
| Case Status (1) - Investigation open | Avail. of Material First I | gnited | Property Ownership | |
| Laboratories Used | | | | |
| Initial Observations | | | | |
| Other Investigative Info | | | | |
| INVESTIGATION INFO | | | |)/ Top/200 |
| Entry Method | | Extent of Fire In | volvement on Arrival | |
| Incendiary Device Container | Incendiary Device Ignit | on Delay | Incendiary Device Fuel | |
| ■ INVESTIGATION REMARKS | | | | of government |





Wed, Apr 9 at 6:22 PM



Thanks so much! Dennis called me as well. I've asked Bob to post a message on Facebook to alert residents. Can you all post something on the Fire Facebook page as well?

Wed, Apr 9 at 7:52 PM







Text Message





Wed, Apr 9 at 7:52 PM



Major malfunction house explosion do the gas leak

Oh no no!!!!!! I just talked to Bob. Tired to call Tom. Just talked to Josh. Please keep me posted when you can.



I'm heading to Lexinton

Wed, Apr 9 at 9:48 PM








Text Message





Wed, Apr 9 at 8:15 PM

Shawnna Funderburk



Bob Florence

All of you who are the scene be careful. I am at City Hall.

Shawnna Funderburk

We will!

Carla Ghisalberti

Do you need me to come there?

To city hall

Shawnna Funderburk

If you can come to City
Hall & be staged with Bob
that would be great!

Thu, Apr 10 at 1:38 PM

Shawnna Funderburk





Text Message





Mrs. Wandell called again

about her CPR course


I will call back soon. I got the phone number not too long ago. Can you send me the phone number to make sure it is correct?




I will call back tomorrow morning! Thank you


Thank you!


Thu, Apr 10 at 7:58 AM























Wed, Apr 9 at 9:06 PM

If you need help with anything let me know. I'll come to town.





Wed, Apr 9 at 4:53 PM

I am, yes. I'm completely available almost all evenings now until school lets out because I will have Addison in my custody until at least that point. That way I always have someone to watch Jaxxon


Thank you for the update. It has been slow for too long lately.

l agree

Thu, Apr 10 at 6:25 AM







Wed, Apr 9 at 8:48 PM

Hey Jimmy, just checking to see that you're OK and if we can go into the funeral home



Fri, Apr 11 at 5:57 AM















Tom Hughes





IVIORIUAY, IVIAI 11 . 0.47 AIVI



Thanks so much!

Wednesday, Apr 9 · 8:00 PM

I'm headed to Lexington.

8:00 PM @ 6







8:33 PM SMS

Thursday, Apr 10 · 8:04 AM

A RCS chat with Tom





Chief Coen City Cell



Wednesday, Apr 9 · 6:33 PM

Hey can you all post something on the Police Facebook page about the gas line issue & that it's being worked on by the gas company? I asked Chief Martin to post on the Fire Facebook page & asked Bob to post on the City's main Facebook page also.

6:33 PM (🖒





Yes. I will..sorry I was at a school musical program

7:18 PM A

All good! All good! No worries!

7:29 PM (A




I'm heading to Lexington

8:03 PM (A







Wednesday, Apr 9 • 6:22 PM



Information only
Crews are standing by with PD after a
boring crew struck a gas line.

Thanks so much! Dennis called me as well. I've asked Bob to post a message on Facebook to alert residents. Can you all post something on the Fire Facebook page as well?

Wednesday, Apr 9 • 7:52 PM




① Text message












Major malfunction house explosion do the gas leak

Oh no no!!!!!! I just talked to Bob. Tired to call Tom. Just talked to Josh. Please keep me posted when you can.

7:53 PM SMS

Will do



 Ψ

8:01 PM SMS















John Harden





Thanks so much! I asked Dennis to go talk with her on Monday as well.

3:23 PM SMS

Wednesday, Apr 9 · 8:35 PM



Thursday, Apr 10 • 12:18 AM



Carla Ghisalberti PC



0

Friday, Mar 28 • 6:34 AM








Wednesday, Apr 9 • 8:12 PM


I'm heading to Lexington

Saturday, Apr 12 · 9:48 AM









10:25 AM MMS

Wednesday, Apr 9 • 8:01 PM

There's been an explosion in Lexington at what appears to be a residential home.

Crews are on scene. I will keep you posted as we have more information.

C Chandra Carey

Thanks. Hope nobody got hurt or worse


I'll keep you posted

8:03 PM MMS

John Harden

It just took the house next to it. They are working to save funeral home

8:23 PM






Read

Apr 9, 8:12PM

OMG!! I hope the house was unoccupied!

People are saying the house blew up and caught two other houses on fire





Apr 9, 8:10PM

+1 816-419-1967 Missouri



Read



Read

Apr 9, 8:12PM

OMG!! I hope the house



